



**Home Innovation**  
NGBS GREEN CERTIFIED™


THIS SIGNIFIES THE FOLLOWING CONSTRUCTION PRODUCTS

**KOPPERS MICROPRO® WOOD PRESERVATION TECHNOLOGY**

MANUFACTURED BY

**KOPPERS PERFORMANCE CHEMICALS**

ARE CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC 700  
NATIONAL GREEN BUILDING STANDARD, AS DETAILED BELOW.

  
Michael Luzier – President & CEO

09-22-2025  
Approval Date

07-31-2028  
Expiration Date

**CERTIFICATE # 354**

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certificate #NGBSGCP-000354

Product: Koppers MicroPro® Wood Preservation Technology

Manufacturer: Koppers Performance Chemicals

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

<b>2020 NATIONAL GREEN BUILDING STANDARD</b>			
<b>PRACTICE #</b>	<b>PRACTICE DESCRIPTION</b>	<b>POTENTIAL POINTS AVAILABLE</b>	<b>ADDITIONAL CONDITIONAL OF USE TO AWARD POINTS</b>
602.1.5(1-2)	A termite barrier is installed.	4	To earn 2 points, product is used in conjunction with other termite resistant materials for the first 2' of all the foundation, floor, and structural wall, wall clading, and exterior deck components in zones with slight to moderate termite infestation. 4 points are awarded when used in the first 3' in moderate to heavy termite zones, and 6 points are awarded for use in all of the foundation, floor, and structural wall, wall clading, and exterior deck components in areas of very heavy termites.
602.1.6	Termite-resistant materials are used for the foundation, all structural walls, floors, concealed roof spaces not accessible for inspection, exterior decks, and exterior claddings within the first 2 ft above the top of the foundation. 2 points available.	2-6	To earn 2 points, product is used in conjunction with other termite resistant materials for the first 2' of all the foundation, floor, and structural wall, wall clading, and exterior deck components in zones with slight to moderate termite infestation. 4 points are awarded when used in the first 3' in moderate to heavy termite zones, and 6 points are awarded for use in all of the foundation, floor, and structural wall, wall clading, and exterior deck components in areas of very heavy termites.

<b>2020 NATIONAL GREEN BUILDING STANDARD</b>			
<b>PRACTICE #</b>	<b>PRACTICE DESCRIPTION</b>	<b>POTENTIAL POINTS AVAILABLE</b>	<b>ADDITIONAL CONDITIONAL OF USE TO AWARD POINTS</b>
610.1.2.1	A product with improved environmental impact measures compared to another product(s) intended for the same use is selected. 2 points for product with 4 impact measures; 3 points for product with 5 impact measures. 10 points max.	2	Points are available when MicroPro is chosen over ACQ treated wood products because of the benefits shown in the LCA.
503.2(4)	Erosion reduced through use of terracing, retaining walls, landscaping and restabilization.	6	Retaining walls built with this product must be an integral part of the installed landscape plan designed to limit long term erosion.
901.4(2-6)	A minimum of 85% of material within a product group (i.e., wood structural panels, countertops, composite trim/doors, custom woodwork, and/or component closet shelving) is manufactured in accordance with the following. 10 points maximum awarded.	2-4	A minimum of 85% of the product group in the building must be product that is compliant with this practice. Compliant products that are treated with Micro-Pro Wood Preservative Technology remain compliant after treatment.



## GRESB Scoring Potential

GRESB is a framework widely used by commercial and multifamily organizations that measures the ESG (Environmental, Social, and Governance) performance of a company's real estate portfolio. Certification to the following 2020 NGBS practices indicates that this product potentially contributes to one or more GRESB Indicator(s). For more information, visit [www.ngbs.com/ESG](http://www.ngbs.com/ESG) and [www.GRESB.com](http://www.GRESB.com).

NGBS Green Certificate #354

Product: Koppers MicroPro® Wood Preservation Technology

Manufacturer: Koppers Performance Chemicals

Practice #	Practice Description	GRESB Indicator
610.1.2.1	A product with improved environmental impact measures compared to another product(s) intended for the same use is selected. 2 points for product with 4 impact measures; 3 points for product with 5 impact measures. 10 points max.	DMA1 Materials selection requirements, DMA2.1 Life cycle assessments , DRE1 ESG strategy during development
901.4(2-6)	A minimum of 85% of material within a product group (i.e., wood structural panels, countertops, composite trim/doors, custom woodwork, and/or component closet shelving) is manufactured in accordance with the following. 10 points maximum awarded.	DMA1 Materials selection requirements